

ACC Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206, USA

<https://acc-ma.org>

Services Provided By:




A Program of ASTM International

M11 EGR Operationally Valid Candidate Data

Parameter: ACWL, Average Crosshead Weight Loss (units= mg)

Where validity is 'VI' or 'VQ' and SAE vis grade is 15W-40



ACC Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206, USA

<https://acc-ma.org>

Services Provided By:




A Program of ASTM International

M11 EGR Operationally Valid Candidate Data

Parameter: OILDP, Oil Filter Plugging Delta P (units= kPa)

Where validity is 'VI' or 'VQ' and SAE vis grade is 15W-40



⊕⊕⊕ with SA
 ⊕⊕⊕ without SA

ACC Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206, USA

<https://acc-ma.org>

Services Provided By:




A Program of ASTM International

M11 EGR Operationally Valid Candidate Data

Parameter: ASRT, Average Sludge Rating (units= Merits)

Where validity is 'VI' or 'VQ' and SAE vis grade is 15W-40



ACC Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206, USA

<https://acc-ma.org>

Services Provided By:



A Program of ASTM International

M11 EGR Operationally Valid Candidate Data

Parameter: ARWLT, Average Top Ring Weight Loss (units= mg)

Where validity is 'VI' or 'VQ' and SAE vis grade is 15W-40

