

M11 EGR - Report Period: OCT 2000
Replicate Database Report

Components of Replicate Database	OCT 2000	All Periods
Number of Tests	.	.
Formulations	.	.
Labs	.	.
Stands	.	.

M11 EGR - Report Period: OCT 2000
by-Formulation Pooled s and Reproducibility of Replicate Data


Report Period	Parameter	Degrees of Freedom	Pooled s	R
OCT 2000	ACWL	1	2.1213	5.940
OCT 2000	OILDP	1	30.4056	85.136
OCT 2000	ASRT	1	0.0000	0.000
OCT 2000	ACWL (Without SA)	1	2.1213	5.940
OCT 2000	OILDP (Without SA)	1	30.4056	85.136
OCT 2000	ASRT (Without SA)	1	0.1414	0.396
All	ACWL	24	2.0115	5.632
All	OILDP	24	56.1347	157.177
All	ASRT	24	0.2548	0.713
All	ACWL (Without SA)	24	2.0115	5.632
All	OILDP (Without SA)	24	71.9353	201.419
All	ASRT (Without SA)	24	0.2220	0.622
All	ACWL	24	2.0115	5.632
All	OILDP	24	56.1347	157.177
All	ASRT	24	0.2548	0.713
All	ACWL (Without SA)	24	2.0115	5.632
All	OILDP (Without SA)	24	71.9353	201.419
All	ASRT (Without SA)	24	0.2220	0.622

M11 EGR - Report Period: OCT 2000
Pass/Fail

Report Period	API Category	N	Number Passed	% Passed
OCT 2000	All Categories, All Parameters	43	43	100
All	All Categories, All Parameters	377	377	100

M11 EGR

Candidate Precision as Represented by Pooled S



M11 EGR

Candidate Precision as Represented by Pooled S

