

# ACC Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206, USA

<https://acc-ma.org>

Services Provided By:




A Program of ASTM International

## T10 Operationally Valid Candidate Data

Parameter: DPBEOT, Delta Pb at EOT (units=ppm)

Where validity is 'VI' or 'VQ' and SAE vis grade is 15W-40



# ACC Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206, USA

<https://acc-ma.org>

Services Provided By:




A Program of ASTM International

## T10 Operationally Valid Candidate Data

Parameter: ALW, Average Liner Wear (units= micrometers)

Where validity is 'VI' or 'VQ' and SAE vis grade is 15W-40





# ACC Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206, USA

<https://acc-ma.org>

Services Provided By:




A Program of ASTM International

## T10 Operationally Valid Candidate Data

Parameter: ATRWL, Average Top Ring Weight Loss (units= mg)

Where validity is 'VI' or 'VQ' and SAE vis grade is 15W-40



# ACC Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206, USA

<https://acc-ma.org>

Services Provided By:




A Program of ASTM International

## T10 Operationally Valid Candidate Data

Parameter: OILCON, Oil Consumption (units= g/h)

Where validity is 'VI' or 'VQ' and SAE vis grade is 15W-40



⊕⊕⊕ with SA  
⊕⊕⊕ without SA