

VIB 0W-30/5W-30 - Report Period: OCT 2000
Status Of Reported Tests

1

STATUS	COUNT	PERCENT
Aborted	3	3.659
Cancelled	9	10.976
Invalid	2	2.439
Special Case. Do Not MTAC	1	1.220
Valid	67	81.707
Total Reported Tests	82	100.000

VIB 0W-30/5W-30 - Report Period: OCT 2000
Itemized Lost Test Report

Obs	Date	TESTKEY	REASON
1	20000426	RSI-260293	Operationally Invalid,by Lab
2	20000515	RSI-260404	Lab Declaration Astm Special Case,do Not Include Inmtac
3	20000530	RSI-260475	Operationally Invalid,by Lab
4	20000609	RSI-260534	Prior To Completion At Sponsor Request
5	20000619	RSI-260571	Prior To Completion At Sponsor Request
6	20000703	RSI-260657	Prior To Completion At Sponsor Request
7	20000712	RSI-260711	Prior To Completion At Sponsor Request
8	20000825	RSI-260961	Operationally Invalid,lab Declares Invalid
9	20000906	RSI-261019	Operationally Invalid,by Lab
10	20000912	RSI-261067	Prior To Completion At Sponsor Request
11	20000915	RSI-261101	Prior To Completion At Sponsor Request
12	20000919	RSI-261128	Operationally Invalid,lab Declares Invalid
13	20000920	RSI-261136	Prior To Completion At Sponsor Request
14	20000922	RSI-261150	Prior To Completion At Sponsor Request
15	20000926	RSI-261169	Prior To Completion At Sponsor Request

VIB 0W-30/5W-30 - Report Period: OCT 2000
Replicate Database Report

Components of Replicate Database	OCT 2000	All Periods
Number of Tests	6	14
Formulations	3	6
Labs	2	3
Stands	5	8

VIB 0W-30/5W-30 - Report Period: OCT 2000
by-Formulation Pooled s and Reproducibility of Replicate Data


Report Period	Parameter	Degrees of Freedom	Pooled s	R
OCT 2000	FEI1	3	0.15691	0.43936
OCT 2000	FEI2	3	0.32907	0.92140
OCT 2000	FEI1 (Without SA)	3	0.18643	0.52200
OCT 2000	FEI2 (Without SA)	3	0.38919	1.08972
All	FEI1	8	0.12712	0.35592
All	FEI2	8	0.24762	0.69334
All	FEI1 (Without SA)	8	0.14044	0.39323
All	FEI2 (Without SA)	8	0.29731	0.83247

VIB 0W-30/5W-30 - Report Period: OCT 2000
Pass/Fail


Report Period	API Category	N	Number Passed	% Passed
OCT 2000	All Categories, All Parameters	67	2	2.9851
OCT 2000	GF-4 - All Parameters	67	2	2.9851
OCT 2000	GF-4, FEI1	67	14	20.8955
OCT 2000	GF-4, FEI1 (Without SA)	67	11	16.4179
OCT 2000	GF-4, FEI2	67	4	5.9701
OCT 2000	GF-4, FEI2 (Without SA)	67	12	17.9104
OCT 2000	SL - All Parameters	67	13	19.4030
OCT 2000	SL, FEI1	67	31	46.2687
OCT 2000	SL, FEI1 (Without SA)	67	29	43.2836
OCT 2000	SL, FEI2	67	18	26.8657
OCT 2000	SL, FEI2 (Without SA)	67	20	29.8507
All	All Categories, All Parameters	145	7	4.8276
All	GF-4 - All Parameters	145	7	4.8276
All	GF-4, FEI1	145	30	20.6897
All	GF-4, FEI1 (Without SA)	145	24	16.5517
All	GF-4, FEI2	145	10	6.8966
All	GF-4, FEI2 (Without SA)	145	22	15.1724
All	SL - All Parameters	145	31	21.3793
All	SL, FEI1	145	62	42.7586
All	SL, FEI1 (Without SA)	145	56	38.6207
All	SL, FEI2	145	46	31.7241
All	SL, FEI2 (Without SA)	145	50	34.4828

VIB 0W—30/5W—30

Status of Reported Tests



VIB 0W—30/5W—30
Candidate Precision as Represented by Pooled S



VIB 0W—30/5W—30

Candidate Precision as Represented by Pooled S

