


# ACC Monitoring Agency

203 Armstrong Drive, Freeport, PA 16229, USA

<https://www.acc-ma.org>  
412-365-1000



1K Operationally Valid Candidate Data  
Parameter: TGF, Top Groove Fill (units=%)  
Where validity is 'VI' or 'VO' and SAE vis grade is 15W-40'



# ACC Monitoring Agency

203 Armstrong Drive, Freeport, PA 16229, USA

<https://www.acc-ma.org>  
412-365-1000

Services provided by:




A Program of ASTM International

1K Operationally Valid Candidate Data

Parameter: WD, Weighted Demerits (units=Demerits)

Where validity is 'VI' or 'VQ' and SAE vis grade is '15W-40'



# ACC Monitoring Agency

203 Armstrong Drive, Freeport, PA 16229, USA

<https://www.acc-ma.org>  
412-365-1000

Services provided by:




A Program of ASTM International

1K Operationally Valid Candidate Data

Parameter: TLHC, Top Land Heavy Carbon (units=%)

Where validity is 'VI' or 'VQ' and SAE vis grade is 15W-40'



⊕⊕⊕ with SA  
⊕⊕⊕ without SA

# ACC Monitoring Agency

203 Armstrong Drive, Freeport, PA 16229, USA

<https://www.acc-ma.org>  
412-365-1000

Services provided by:




A Program of ASTM International

1K Operationally Valid Candidate Data

Parameter: BSOC, Brake Specific Oil Consumption (units=g/kWh)

Where validity is 'VI' or 'VO' and SAE vis grade is 15W-40'



# ACC Monitoring Agency

203 Armstrong Drive, Freeport, PA 16229, USA

<https://www.acc-ma.org>  
412-365-1000



1K Operationally Valid Candidate Data

Parameter: ETOC, End-of-Test Oil Consumption (units=g/kWh)

Where validity is 'VI' or 'VO' and SAE vis grade is 15W-40'

