

1M-PC - Report Period: OCT 2013
Status Of Reported Tests

STATUS	COUNT	PERCENT
Valid	6	100
Total Reported Tests	6	100

1M-PC - Report Period: OCT 2013
Replicate Database Report

Components of Replicate Database	OCT 2013	All Periods
Number of Tests	.	316
Formulations	.	146
Labs	.	9
Stands	.	47

1M-PC - Report Period: OCT 2013
by-Formulation Pooled s and Reproducibility of Replicate Data

Report Period	Parameter	Degrees of Freedom	Pooled s	R
All	TGF	170	13.6263	38.154
All	WTD	170	73.5388	205.909
All	BSOC	170	0.1899	0.532
All	CF2WTD	170	14.0358	39.300
All	TGF (Without SA)	170	14.7380	41.266
All	WTD (Without SA)	170	78.6634	220.257

1M-PC - Report Period: OCT 2013
Pass/Fail

Report Period	API Category	N	Number Passed	% Passed
OCT 2013	All Categories, All Parameters	6	6	100
All	All Categories, All Parameters	3149	3149	100




Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

1M-PC

Status of Reported Tests





Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

1M-PC

Candidate Precision as Represented by Pooled S





Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

1M-PC

Candidate Precision as Represented by Pooled S

