

1M-PC - Report Period: OCT 2014
Status Of Reported Tests

STATUS	COUNT	PERCENT
Aborted	1	25
Valid	3	75
Total Reported Tests	4	100

1M-PC - Report Period: OCT 2014
Itemized Lost Test Report

2

Obs	Date	TESTKEY	REASON
1	20140616	ACC-14257	Test Terminated At Test Hour 31 Due To Fuel Getting Into The Oil.

1M-PC - Report Period: OCT 2014
Replicate Database Report

Components of Replicate Database	OCT 2014	All Periods
Number of Tests	2	318
Formulations	1	147
Labs	1	9
Stands	1	47

1M-PC - Report Period: OCT 2014
by-Formulation Pooled s and Reproducibility of Replicate Data

Report Period	Parameter	Degrees of Freedom	Pooled s	R
OCT 2014	TGF	1	2.8284	7.920
OCT 2014	WTD	1	29.1328	81.572
OCT 2014	BSOC	1	0.4469	1.251
OCT 2014	CF2WTD	1	7.9903	22.373
OCT 2014	TGF (Without SA)	1	2.8284	7.920
OCT 2014	WTD (Without SA)	1	29.1328	81.572
All	TGF	171	13.5881	38.047
All	WTD	171	73.3573	205.401
All	BSOC	171	0.1924	0.539
All	CF2WTD	171	14.0081	39.223
All	TGF (Without SA)	171	14.6965	41.150
All	WTD (Without SA)	171	78.4647	219.701

1M-PC - Report Period: OCT 2014
Pass/Fail

Report Period	API Category	N	Number Passed	% Passed
OCT 2014	All Categories, All Parameters	3	3	100
All	All Categories, All Parameters	3157	3157	100




Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

1M-PC

Status of Reported Tests






Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

1M-PC

Candidate Precision as Represented by Pooled S





Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

1M-PC

Candidate Precision as Represented by Pooled S

