

1M-PC - Report Period: OCT 2016
Status Of Reported Tests

STATUS	COUNT	PERCENT
Valid	10	100
Total Reported Tests	10	100

1M-PC - Report Period: OCT 2016
Replicate Database Report

Components of Replicate Database	OCT 2016	All Periods
Number of Tests	.	318
Formulations	.	147
Labs	.	9
Stands	.	47

1M-PC - Report Period: OCT 2016
by-Formulation Pooled s and Reproducibility of Replicate Data

Report Period	Parameter	Degrees of Freedom	Pooled s	R
All	TGF	171	13.5881	38.047
All	WTD	171	73.3573	205.401
All	BSOC	171	0.1924	0.539
All	CF2WTD	171	14.0081	39.223
All	TGF (Without SA)	171	14.6965	41.150
All	WTD (Without SA)	171	78.4647	219.701

1M-PC - Report Period: OCT 2016
Pass/Fail

Report Period	API Category	N	Number Passed	% Passed
OCT 2016	All Categories, All Parameters	10	10	100
All	All Categories, All Parameters	3181	3181	100



Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

1M-PC

Status of Reported Tests





Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

1M-PC

Candidate Precision as Represented by Pooled S





Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

1M-PC

Candidate Precision as Represented by Pooled S

