

1M-PC - Report Period: OCT 2017
Status Of Reported Tests

STATUS	COUNT	PERCENT
Valid	2	100
Total Reported Tests	2	100

1M-PC - Report Period: OCT 2017
Replicate Database Report

Components of Replicate Database	OCT 2017	All Periods
Number of Tests	.	318
Formulations	.	147
Labs	.	9
Stands	.	47

1M-PC - Report Period: OCT 2017
by-Formulation Pooled s and Reproducibility of Replicate Data

Report Period	Parameter	Degrees of Freedom	Pooled s	R
All	TGF	171	13.5881	38.047
All	WTD	171	73.3573	205.401
All	BSOC	171	0.1924	0.539
All	CF2WTD	171	14.0081	39.223
All	TGF (Without SA)	171	14.6965	41.150
All	WTD (Without SA)	171	78.4647	219.701

1M-PC - Report Period: OCT 2017
Pass/Fail

Report Period	API Category	N	Number Passed	% Passed
OCT 2017	All Categories, All Parameters	2	2	100
All	All Categories, All Parameters	3186	3186	100




Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

1M-PC

Status of Reported Tests





Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

1M-PC

Candidate Precision as Represented by Pooled S





Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

1M-PC

Candidate Precision as Represented by Pooled S

