

**1M-PC - Report Period: OCT 2019**  
**Status Of Reported Tests**

1

STATUS	COUNT	PERCENT
Valid	2	100
Total Reported Tests	2	100

**1M-PC - Report Period: OCT 2019**  
**Replicate Database Report**

Components of Replicate Database	OCT 2019	All Periods
Number of Tests	.	318
Formulations	.	147
Labs	.	9
Stands	.	47

**1M-PC - Report Period: OCT 2019**  
**by-Formulation Pooled s and Reproducibility of Replicate Data**

Report Period	Parameter	Degrees of Freedom	Pooled s	R
All	TGF	171	13.5881	38.047
All	WTD	171	73.3573	205.401
All	BSOC	171	0.1924	0.539
All	CF2WTD	171	14.0081	39.223
All	TGF (Without SA)	171	14.6965	41.150
All	WTD (Without SA)	171	78.4647	219.701

**1M-PC - Report Period: OCT 2019**  
**Pass/Fail**

Report Period	API Category	N	Number Passed	% Passed
OCT 2019	All Categories, All Parameters	2	2	100
All	All Categories, All Parameters	3198	3198	100




# Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

## 1M-PC

### Status of Reported Tests





# Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

## 1M-PC

Candidate Precision as Represented by Pooled S

