

Replicate Database Report

Components of Replicate Database	APR 2021	All Periods
Number of Tests	.	318
Formulations	.	147
Labs	.	9
Stands	.	47

by-Formulation Pooled s and Reproducibility of Replicate Data

Report Period	Parameter	Degrees of Freedom	Pooled s	R
All	TGF	171	13.5881	38.047
All	WTD	171	73.3573	205.401
All	BSOC	171	0.1924	0.539
All	CF2WTD	171	14.0081	39.223
All	TGF (Without SA)	171	14.6965	41.150
All	WTD (Without SA)	171	78.4647	219.701

Pass/Fail

TGF <=24 STUCK_RINGS ='NO' WD <=332 TLHC <=4 BSOC <=0.5 SCUFFING ='NO'

Report Period	API Category	N	Number Passed	% Passed
All	All Categories, All Parameters	3200	3200	100




Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

1M—PC

Status of Reported Tests






Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

1M-PC

Candidate Precision as Represented by Pooled S



BSOC

TGF (Without SA)

CF2WTD

WTD

TGF

WTD (Without SA)

Report
Period