

Replicate Database Report

Components of Replicate Database	APR 2024	All Periods
Number of Tests	.	318
Formulations	.	147
Labs	.	9
Stands	.	47

by-Formulation Pooled s and Reproducibility of Replicate Data

Report Period	Parameter	Degrees of Freedom	Pooled s	R
All	TGF	171	13.5881	38.047
All	WTD	171	73.3573	205.401
All	BSOC	171	0.1924	0.539
All	CF2WTD	171	14.0081	39.223
All	TGF (Without SA)	171	14.6965	41.150
All	WTD (Without SA)	171	78.4647	219.701

Pass/Fail

TGF <=24 STUCK_RINGS ='NO' WD <=332 TLHC <=4 BSOC <=0.5 SCUFFING ='NO'

Report Period	API Category	N	Number Passed	% Passed
All	All Categories, All Parameters	3200	3200	100

ACC Monitoring Agency

203 Armstrong Drive, Freeport, PA 16229, USA

<https://www.acc-ma.org>
412-365-1000


Services provided by:



A Program of ASTM International

1M-PC

Status of Reported Tests



Thursday, May 30, 2024

ACC Monitoring Agency

203 Armstrong Drive, Freeport, PA 16229, USA

<https://www.acc-ma.org>
412-365-1000


Services provided by:



A Program of ASTM International

1M-PC

Candidate Precision as Represented by Pooled S



Thursday, May 30, 2024