

1N - Report Period: APR 2013
Status Of Reported Tests

1

STATUS	COUNT	PERCENT
Aborted	1	3.030
Invalid	1	3.030
Valid	31	93.939
Total Reported Tests	33	100.000

1N - Report Period: APR 2013
Itemized Lost Test Report

Obs	Date	TESTKEY	REASON
1	20121119	ACC-11145	Test Is Operationally Invalid Due To The Humidity Parameter Exceeding The Allowable Percent Off And Percent Out Requirement..
2	20121218	ACC-11405	Test Was Terminated At Test Hour 73 Due To A Mechanical Failure.

1N - Report Period: APR 2013
Replicate Database Report

Components of Replicate Database	APR 2013	All Periods
Number of Tests	.	143
Formulations	.	63
Labs	.	8
Stands	.	42

1N - Report Period: APR 2013
by-Formulation Pooled s and Reproducibility of Replicate Data

Report Period	Parameter	Degrees of Freedom	Pooled s	R
All	TGF	80	11.5101	32.228
All	WD	80	42.0714	117.800
All	TLHC	80	0.9362	2.621
All	BSOC	80	0.0685	0.192
All	EOTOC	80	0.0176	0.049
All	TGF (Without SA)	80	6.8107	19.070
All	WD (Without SA)	80	28.9805	81.145
All	TLHC (Without SA)	80	0.4597	1.287

1N - Report Period: APR 2013
Pass/Fail

Report Period	API Category	N	Number Passed	% Passed
APR 2013	All Categories, All Parameters	31	14	45.161
APR 2013	CI-4 - All Parameters	31	14	45.161
APR 2013	CI-4, BSOC	31	31	100.000
APR 2013	CI-4, EOTOC	31	31	100.000
APR 2013	CI-4, SCUFFING	31	31	100.000
APR 2013	CI-4, STUCK_RINGS	31	31	100.000
APR 2013	CI-4, TGF	31	26	83.871
APR 2013	CI-4, TGF (Without SA)	31	27	87.097
APR 2013	CI-4, TLHC	31	29	93.548
APR 2013	CI-4, TLHC (Without SA)	31	29	93.548
APR 2013	CI-4, WD	31	17	54.839
APR 2013	CI-4, WD (Without SA)	31	23	74.194
All	All Categories, All Parameters	980	278	28.367
All	CI-4 - All Parameters	980	278	28.367
All	CI-4, BSOC	980	969	98.878
All	CI-4, EOTOC	980	964	98.367
All	CI-4, SCUFFING	980	510	52.041
All	CI-4, STUCK_RINGS	980	513	52.347
All	CI-4, TGF	980	691	70.510
All	CI-4, TGF (Without SA)	980	873	89.082
All	CI-4, TLHC	980	792	80.816
All	CI-4, TLHC (Without SA)	980	898	91.633
All	CI-4, WD	980	821	83.776
All	CI-4, WD (Without SA)	980	882	90.000




Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

1N
Status of Reported Tests






Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

1N

Candidate Precision as Represented by Pooled S



Report
Period




Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

1N

Candidate Precision as Represented by Pooled S



Report
Period