

1R - Report Period: APR 2006
Status Of Reported Tests

1

STATUS	COUNT	PERCENT
Valid	1	100
Total Reported Tests	1	100

1R - Report Period: APR 2006
Replicate Database Report

Components of Replicate Database	APR 2006	All Periods
Number of Tests	.	7
Formulations	.	3
Labs	.	3
Stands	.	6

1R - Report Period: APR 2006
by-Formulation Pooled s and Reproducibility of Replicate Data

Report Period	Parameter	Degrees of Freedom	Pooled s	R
All	TGC	4	21.7344	60.856
All	TLC	4	9.7505	27.301
All	WD	4	50.6503	141.821
All	BOTOC	4	1.6553	4.635
All	EOTOC	4	1.8702	5.236
All	TGC (Without SA)	4	21.7344	60.856
All	TLC (Without SA)	4	9.7505	27.301
All	WD (Without SA)	4	50.6503	141.821
All	BOTOC (Without SA)	4	1.6553	4.635
All	EOTOC (Without SA)	4	1.8702	5.236

1R - Report Period: APR 2006
Pass/Fail


Report Period	API Category	N	Number Passed	% Passed
APR 2006	All Categories, All Parameters	1	0	0.000
APR 2006	CI-4 - All Parameters	1	0	0.000
APR 2006	CI-4, BOTOC	1	1	100.000
APR 2006	CI-4, BOTOC (Without SA)	1	1	100.000
APR 2006	CI-4, EOTOC	1	0	0.000
APR 2006	CI-4, EOTOC (Without SA)	1	0	0.000
APR 2006	CI-4, SCUFFING	1	1	100.000
APR 2006	CI-4, STUCK_RINGS	1	1	100.000
APR 2006	CI-4, TGC	1	0	0.000
APR 2006	CI-4, TGC (Without SA)	1	0	0.000
APR 2006	CI-4, TLC	1	0	0.000
APR 2006	CI-4, TLC (Without SA)	1	0	0.000
APR 2006	CI-4, WD	1	0	0.000
APR 2006	CI-4, WD (Without SA)	1	0	0.000
All	All Categories, All Parameters	111	81	72.973
All	CI-4 - All Parameters	111	81	72.973
All	CI-4, BOTOC	111	111	100.000
All	CI-4, BOTOC (Without SA)	111	111	100.000
All	CI-4, EOTOC	111	106	95.495
All	CI-4, EOTOC (Without SA)	111	106	95.495
All	CI-4, SCUFFING	111	111	100.000
All	CI-4, STUCK_RINGS	111	111	100.000
All	CI-4, TGC	111	92	82.883
All	CI-4, TGC (Without SA)	111	93	83.784
All	CI-4, TLC	111	97	87.387
All	CI-4, TLC (Without SA)	111	97	87.387

1R - Report Period: APR 2006
Pass/Fail

Report Period	API Category	N	Number Passed	% Passed
All	CI-4, WD	111	85	76.577
All	CI-4, WD (Without SA)	111	85	76.577


1R

Status of Reported Tests



1R

Candidate Precision as Represented by Pooled S



1R

Candidate Precision as Represented by Pooled S

