

1R - Report Period: OCT 2012
Status Of Reported Tests

STATUS	COUNT	PERCENT
Valid	2	100
Total Reported Tests	2	100

1R - Report Period: OCT 2012
Replicate Database Report

Components of Replicate Database	OCT 2012	All Periods
Number of Tests	.	11
Formulations	.	5
Labs	.	3
Stands	.	7

1R - Report Period: OCT 2012
by-Formulation Pooled s and Reproducibility of Replicate Data

Report Period	Parameter	Degrees of Freedom	Pooled s	R
All	TGC	6	19.7517	55.305
All	EOTOC (Without SA)	6	1.6235	4.546
All	TLC	6	9.8780	27.658
All	WD	6	44.8153	125.483
All	BOTOC	6	1.3620	3.814
All	EOTOC	6	1.6235	4.546
All	TGC (Without SA)	6	19.7298	55.243
All	TLC (Without SA)	6	9.8780	27.658
All	WD (Without SA)	6	44.8153	125.483
All	BOTOC (Without SA)	6	1.3620	3.814

1R - Report Period: OCT 2012
Pass/Fail

Report Period	API Category	N	Number Passed	% Passed
OCT 2012	All Categories, All Parameters	2	2	100.000
OCT 2012	CI-4 - All Parameters	2	2	100.000
OCT 2012	CI-4, BOTOC	2	2	100.000
OCT 2012	CI-4, BOTOC (Without SA)	2	2	100.000
OCT 2012	CI-4, EOTOC	2	2	100.000
OCT 2012	CI-4, EOTOC (Without SA)	2	2	100.000
OCT 2012	CI-4, SCUFFING	2	2	100.000
OCT 2012	CI-4, STUCK_RINGS	2	2	100.000
OCT 2012	CI-4, TGC	2	2	100.000
OCT 2012	CI-4, TGC (Without SA)	2	2	100.000
OCT 2012	CI-4, TLC	2	2	100.000
OCT 2012	CI-4, TLC (Without SA)	2	2	100.000
OCT 2012	CI-4, WD	2	2	100.000
OCT 2012	CI-4, WD (Without SA)	2	2	100.000
All	All Categories, All Parameters	136	103	75.735
All	CI-4 - All Parameters	136	103	75.735
All	CI-4, BOTOC	136	136	100.000
All	CI-4, BOTOC (Without SA)	136	136	100.000
All	CI-4, EOTOC	136	130	95.588
All	CI-4, EOTOC (Without SA)	136	130	95.588
All	CI-4, SCUFFING	136	136	100.000
All	CI-4, STUCK_RINGS	136	136	100.000
All	CI-4, TGC	136	114	83.824
All	CI-4, TGC (Without SA)	136	116	85.294
All	CI-4, TLC	136	121	88.971

1R - Report Period: OCT 2012
Pass/Fail

Report Period	API Category	N	Number Passed	% Passed
All	CI-4, TLC (Without SA)	136	121	88.971
All	CI-4, WD	136	109	80.147
All	CI-4, WD (Without SA)	136	109	80.147




Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

1R
Status of Reported Tests






Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

1R

Candidate Precision as Represented by Pooled S





Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

1R

Candidate Precision as Represented by Pooled S

