

1R - Report Period: APR 2016
Status Of Reported Tests

STATUS	COUNT	PERCENT
Valid	1	100
Total Reported Tests	1	100

1R - Report Period: APR 2016
Replicate Database Report

Components of Replicate Database	APR 2016	All Periods
Number of Tests	.	13
Formulations	.	6
Labs	.	3
Stands	.	7

1R - Report Period: APR 2016
by-Formulation Pooled s and Reproducibility of Replicate Data

Report Period	Parameter	Degrees of Freedom	Pooled s	R
All	TGC	7	19.2499	53.900
All	TLC	7	11.1704	31.277
All	WD	7	47.7327	133.652
All	BOTOC	7	1.2655	3.543
All	EOTOC	7	1.9250	5.390
All	TGC (Without SA)	7	19.2306	53.846
All	TLC (Without SA)	7	11.1704	31.277
All	WD (Without SA)	7	47.7327	133.652
All	BOTOC (Without SA)	7	1.2655	3.543
All	EOTOC (Without SA)	7	1.9250	5.390

1R - Report Period: APR 2016
Pass/Fail

Report Period	API Category	N	Number Passed	% Passed
APR 2016	All Categories, All Parameters	1	1	100.000
APR 2016	CI-4 - All Parameters	1	1	100.000
APR 2016	CI-4, BOTOC	1	1	100.000
APR 2016	CI-4, BOTOC (Without SA)	1	1	100.000
APR 2016	CI-4, EOTOC	1	1	100.000
APR 2016	CI-4, EOTOC (Without SA)	1	1	100.000
APR 2016	CI-4, SCUFFING	1	1	100.000
APR 2016	CI-4, STUCK_RINGS	1	1	100.000
APR 2016	CI-4, TGC	1	1	100.000
APR 2016	CI-4, TGC (Without SA)	1	1	100.000
APR 2016	CI-4, TLC	1	1	100.000
APR 2016	CI-4, TLC (Without SA)	1	1	100.000
APR 2016	CI-4, WD	1	1	100.000
APR 2016	CI-4, WD (Without SA)	1	1	100.000
All	All Categories, All Parameters	150	114	76.000
All	CI-4 - All Parameters	150	114	76.000
All	CI-4, BOTOC	150	150	100.000
All	CI-4, BOTOC (Without SA)	150	150	100.000
All	CI-4, EOTOC	150	141	94.000
All	CI-4, EOTOC (Without SA)	150	141	94.000
All	CI-4, SCUFFING	150	149	99.333
All	CI-4, STUCK_RINGS	150	150	100.000
All	CI-4, TGC	150	128	85.333
All	CI-4, TGC (Without SA)	150	130	86.667
All	CI-4, TLC	150	132	88.000

1R - Report Period: APR 2016
Pass/Fail

Report Period	API Category	N	Number Passed	% Passed
All	CI-4, TLC (Without SA)	150	132	88.000
All	CI-4, WD	150	121	80.667
All	CI-4, WD (Without SA)	150	120	80.000




Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

1R
Status of Reported Tests






Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

1R

Candidate Precision as Represented by Pooled S





Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

1R

Candidate Precision as Represented by Pooled S

