

Status Of Reported Tests

STATUS	COUNT	PERCENT
Valid	4	100
Total Reported Tests	4	100

Replicate Database Report

Components of Replicate Database	APR 2020	All Periods
Number of Tests	.	13
Formulations	.	6
Labs	.	3
Stands	.	7

by-Formulation Pooled s and Reproducibility of Replicate Data

Report Period	Parameter	Degrees of Freedom	Pooled s	R
All	TGC	7	19.2499	53.900
All	EOTOC (Without SA)	7	1.9250	5.390
All	TLC	7	11.1704	31.277
All	WD	7	47.7327	133.652
All	BOTOC	7	1.2655	3.543
All	EOTOC	7	1.9250	5.390
All	TGC (Without SA)	7	19.2306	53.846
All	TLC (Without SA)	7	11.1704	31.277
All	WD (Without SA)	7	47.7327	133.652
All	BOTOC (Without SA)	7	1.2655	3.543

Pass/Fail

TGC <=52 SCUFFING ='NO' STUCK_RINGS ='NO' WD <=382 BOTOC <=13.1

Report Period	API Category	N	Number Passed	% Passed
APR 2020	All Categories, All Parameters	4	1	25.000
APR 2020	CI-4 - All Parameters	4	1	25.000
APR 2020	CI-4, BOTOC	4	4	100.000
APR 2020	CI-4, BOTOC (Without SA)	4	4	100.000
APR 2020	CI-4, EOTOC	4	2	50.000
APR 2020	CI-4, EOTOC (Without SA)	4	2	50.000
APR 2020	CI-4, SCUFFING	4	4	100.000
APR 2020	CI-4, STUCK_RINGS	4	4	100.000
APR 2020	CI-4, TGC	4	4	100.000
APR 2020	CI-4, TGC (Without SA)	4	4	100.000
APR 2020	CI-4, TLC	4	2	50.000
APR 2020	CI-4, TLC (Without SA)	4	3	75.000
APR 2020	CI-4, WD	4	3	75.000
APR 2020	CI-4, WD (Without SA)	4	2	50.000
All	All Categories, All Parameters	169	127	75.148
All	CI-4 - All Parameters	169	127	75.148
All	CI-4, BOTOC	169	169	100.000
All	CI-4, BOTOC (Without SA)	169	169	100.000
All	CI-4, EOTOC	169	156	92.308
All	CI-4, EOTOC (Without SA)	169	156	92.308
All	CI-4, SCUFFING	169	168	99.408
All	CI-4, STUCK_RINGS	169	169	100.000
All	CI-4, TGC	169	146	86.391
All	CI-4, TGC (Without SA)	169	148	87.574
All	CI-4, TLC	169	148	87.574

Pass/Fail

TGC <=52 SCUFFING ='NO' STUCK_RINGS ='NO' WD <=382 BOTO <=13.1

Report Period	API Category	N	Number Passed	% Passed
All	CI-4, TLC (Without SA)	169	149	88.166
All	CI-4, WD	169	138	81.657
All	CI-4, WD (Without SA)	169	132	78.107




Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

1R

Status of Reported Tests






Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

1R

Candidate Precision as Represented by Pooled S



Monday, July 20, 2020