

RFWT - Report Period: APR 2011
Status Of Reported Tests

STATUS	COUNT	PERCENT
Valid	9	100
Total Reported Tests	9	100

RFWT - Report Period: APR 2011
Replicate Database Report

Components of Replicate Database	APR 2011	All Periods
Number of Tests	2	24
Formulations	1	11
Labs	2	3
Stands	2	5

RFWT - Report Period: APR 2011
by-Formulation Pooled s and Reproducibility of Replicate Data

Report Period	Parameter	Degrees of Freedom	Pooled s	R
APR 2011	WEAR	1	0.056569	0.15839
APR 2011	WEAR (Without SA)	1	0.056569	0.15839
All	WEAR	13	0.037995	0.10638
All	WEAR (Without SA)	13	0.037995	0.10638

RFWT - Report Period: APR 2011
Pass/Fail

Report Period	API Category	N	Number Passed	% Passed
APR 2011	All Categories, All Parameters	9	5	55.5556
APR 2011	CG-4 - All Parameters	9	8	88.8889
APR 2011	CG-4, WEAR	9	8	88.8889
APR 2011	CG-4, WEAR (Without SA)	9	8	88.8889
APR 2011	CJ-4 - All Parameters	9	5	55.5556
APR 2011	CJ-4, WEAR	9	5	55.5556
APR 2011	CJ-4, WEAR (Without SA)	9	5	55.5556
All	All Categories, All Parameters	597	439	73.5343
All	CG-4 - All Parameters	597	566	94.8074
All	CG-4, WEAR	597	566	94.8074
All	CG-4, WEAR (Without SA)	597	566	94.8074
All	CJ-4 - All Parameters	597	439	73.5343
All	CJ-4, WEAR	597	439	73.5343
All	CJ-4, WEAR (Without SA)	597	439	73.5343




Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

RFWT
Status of Reported Tests






Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

RFWT

Candidate Precision as Represented by Pooled S





Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

RFWT

Candidate Precision as Represented by Pooled S

