

***RFWT - Report Period: OCT 2016***  
***Status Of Reported Tests***

STATUS	COUNT	PERCENT
Invalid	1	10
Valid	9	90
Total Reported Tests	10	100

***RFWT - Report Period: OCT 2016***  
***Itemized Lost Test Report***

Obs	Date	TESTKEY	REASON
1	20160812	ACC-18846	Test Declared Invalid As Test Was Run With Incorrect Roller Followers And Extended Test Duration

***RFWT - Report Period: OCT 2016***  
***Replicate Database Report***

Components of Replicate Database	OCT 2016	All Periods
Number of Tests	.	28
Formulations	.	13
Labs	.	3
Stands	.	5

***RFWT - Report Period: OCT 2016***  
***by-Formulation Pooled s and Reproducibility of Replicate Data***

Report Period	Parameter	Degrees of Freedom	Pooled s	R
All	WEAR	15	0.035606	0.099696
All	WEAR (Without SA)	15	0.035606	0.099696

***RFWT - Report Period: OCT 2016***  
***Pass/Fail***

Report Period	API Category	N	Number Passed	% Passed
OCT 2016	All Categories, All Parameters	9	8	88.8889
OCT 2016	CJ-4 - All Parameters	9	8	88.8889
OCT 2016	CJ-4, WEAR	9	8	88.8889
OCT 2016	CJ-4, WEAR (Without SA)	9	8	88.8889
All	All Categories, All Parameters	706	540	76.4873
All	CJ-4 - All Parameters	706	540	76.4873
All	CJ-4, WEAR	706	540	76.4873
All	CJ-4, WEAR (Without SA)	706	540	76.4873




# Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

RFWT  
Status of Reported Tests






# Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

RFWT

Candidate Precision as Represented by Pooled S







# Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

RFWT

Candidate Precision as Represented by Pooled S

