

Status Of Reported Tests

STATUS	COUNT	PERCENT
Valid	6	100
Total Reported Tests	6	100

Replicate Database Report

Components of Replicate Database	OCT 2020	All Periods
Number of Tests	4	36
Formulations	2	16
Labs	1	3
Stands	1	5

by-Formulation Pooled s and Reproducibility of Replicate Data

Report Period	Parameter	Degrees of Freedom	Pooled s	R
OCT 2020	WEAR	2	0.005774	0.016166
OCT 2020	WEAR (Without SA)	2	0.005774	0.016166
All	WEAR	20	0.031305	0.087654
All	WEAR (Without SA)	20	0.031305	0.087654

Pass/Fail
WEAR <=0.30

Report Period	API Category	N	Number Passed	% Passed
OCT 2020	All Categories, All Parameters	6	2	33.3333
OCT 2020	CJ-4 - All Parameters	6	2	33.3333
OCT 2020	CJ-4, WEAR	6	2	33.3333
OCT 2020	CJ-4, WEAR (Without SA)	6	2	33.3333
All	All Categories, All Parameters	751	573	76.2983
All	CJ-4 - All Parameters	751	573	76.2983
All	CJ-4, WEAR	751	573	76.2983
All	CJ-4, WEAR (Without SA)	751	573	76.2983




Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

RFWT

Status of Reported Tests





Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

RFWT

Candidate Precision as Represented by Pooled S

