

Status Of Reported Tests

STATUS	COUNT	PERCENT
Valid	12	100
Total Reported Tests	12	100

Replicate Database Report

Components of Replicate Database	APR 2022	All Periods
Number of Tests	.	40
Formulations	.	18
Labs	.	3
Stands	.	5

by-Formulation Pooled s and Reproducibility of Replicate Data

Report Period	Parameter	Degrees of Freedom	Pooled s	R
All	WEAR	22	0.033643	0.094199
All	WEAR (Without SA)	22	0.033643	0.094199

Pass/Fail
WEAR ≤ 0.30

Report Period	API Category	N	Number Passed	% Passed
APR 2022	All Categories, All Parameters	12	10	83.3333
APR 2022	CJ-4 - All Parameters	12	10	83.3333
APR 2022	CJ-4, WEAR	12	10	83.3333
APR 2022	CJ-4, WEAR (Without SA)	12	10	83.3333
All	All Categories, All Parameters	781	596	76.3124
All	CJ-4 - All Parameters	781	596	76.3124
All	CJ-4, WEAR	781	596	76.3124
All	CJ-4, WEAR (Without SA)	781	596	76.3124




Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

RFWT

Status of Reported Tests





Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

RFWT

Candidate Precision as Represented by Pooled S

