

IIIFHD - Report Period: OCT 2015
Status Of Reported Tests

STATUS	COUNT	PERCENT
Valid	22	100
Total Reported Tests	22	100

IIIFHD - Report Period: OCT 2015
Replicate Database Report

Components of Replicate Database	OCT 2015	All Periods
Number of Tests	.	18
Formulations	.	9
Labs	.	4
Stands	.	9

IIIFHD - Report Period: OCT 2015
by-Formulation Pooled s and Reproducibility of Replicate Data

Report Period	Parameter	Degrees of Freedom	Pooled s	R
All	PVIS	9	0.33071	0.92598
All	PVIS (Without SA)	9	0.06376	0.17853

IIIFHD - Report Period: OCT 2015
Pass/Fail

Report Period	API Category	N	Number Passed	% Passed
OCT 2015	All Categories, All Parameters	22	21	95.4545
OCT 2015	CJ-4 - All Parameters	22	21	95.4545
OCT 2015	CJ-4, PVIS	22	21	95.4545
OCT 2015	CJ-4, PVIS (Without SA)	22	21	95.4545
All	All Categories, All Parameters	857	755	88.0980
All	CJ-4 - All Parameters	857	755	88.0980
All	CJ-4, PVIS	857	755	88.0980
All	CJ-4, PVIS (Without SA)	857	755	88.0980




Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

IIIFHD

Status of Reported Tests






Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

IIIFHD

Candidate Precision as Represented by Pooled S





Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

IIIFHD

Candidate Precision as Represented by Pooled S

