

***IIIFHD - Report Period: OCT 2017  
Status Of Reported Tests***

<b>STATUS</b>	<b>COUNT</b>	<b>PERCENT</b>
Aborted	1	3.125
Valid	31	96.875
Total Reported Tests	32	100.000

***IIIFHD - Report Period: OCT 2017***  
***Itemized Lost Test Report***

<b>Obs</b>	<b>Date</b>	<b>TESTKEY</b>	<b>REASON</b>
1	20170815	ACC-21015	Test Terminated At Test Hour 59 Due To Oil Thickening.

***IIIFHD - Report Period: OCT 2017  
Replicate Database Report***

<b>Components of Replicate Database</b>	<b>OCT 2017</b>	<b>All Periods</b>
Number of Tests	2	20
Formulations	1	10
Labs	1	4
Stands	2	11

**IIIFHD - Report Period: OCT 2017**  
**by-Formulation Pooled s and Reproducibility of Replicate Data**

<b>Report Period</b>	<b>Parameter</b>	<b>Degrees of Freedom</b>	<b>Pooled s</b>	<b>R</b>
OCT 2017	PVIS	1	1.29002	3.61206
OCT 2017	PVIS (Without SA)	1	0.34813	0.97477
All	PVIS	10	0.51463	1.44097
All	PVIS (Without SA)	10	0.12561	0.35172

***IIIFHD - Report Period: OCT 2017  
Pass/Fail***

<b>Report Period</b>	<b>API Category</b>	<b>N</b>	<b>Number Passed</b>	<b>% Passed</b>
OCT 2017	All Categories, All Parameters	31	28	90.3226
OCT 2017	CJ-4 - All Parameters	31	28	90.3226
OCT 2017	CJ-4, PVIS	31	28	90.3226
OCT 2017	CJ-4, PVIS (Without SA)	31	28	90.3226
All	All Categories, All Parameters	1002	891	88.9222
All	CJ-4 - All Parameters	1002	891	88.9222
All	CJ-4, PVIS	1002	891	88.9222
All	CJ-4, PVIS (Without SA)	1002	891	88.9222




# Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

IIIFHD  
Status of Reported Tests






# Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

IIIFHD

Candidate Precision as Represented by Pooled S







# Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

IIIFHD

Candidate Precision as Represented by Pooled S

