

C13 - Report Period: OCT 2016
Status Of Reported Tests

STATUS	COUNT	PERCENT
Aborted	1	6.667
Cancelled	4	26.667
Valid	10	66.667
Total Reported Tests	15	100.000

C13 - Report Period: OCT 2016
Itemized Lost Test Report

Obs	Date	TESTKEY	REASON
1	20160408	ACC-18209	Test Terminated At Test Hour 499 At Sponsor Request
2	20160422	ACC-18198	Test Terminated At Test Hour 95 At Sponsor Request.
3	20160620	ACC-18634	Test Terminated At 321 Hours Due To High Oil Consumption.
4	20160628	ACC-18668	Test Terminated At Test Hour 499 At Sponsor Request.
5	20160909	ACC-18982	Test Terminated At Test Hour 379 At Sponsor Request.

C13 - Report Period: OCT 2016
Replicate Database Report

Components of Replicate Database	OCT 2016	All Periods
Number of Tests	.	4
Formulations	.	2
Labs	.	2
Stands	.	3

C13 - Report Period: OCT 2016
by-Formulation Pooled s and Reproducibility of Replicate Data

Report Period	Parameter	Degrees of Freedom	Pooled s	R
All	TOTMER	2	182.615	511.323

C13 - Report Period: OCT 2016
Pass/Fail

Report Period	API Category	N	Number Passed	% Passed
OCT 2016	All Categories, All Parameters	10	6	60.000
OCT 2016	CJ-4 - All Parameters	10	6	60.000
OCT 2016	CJ-4, STUCKRNG	10	10	100.000
OCT 2016	CJ-4, TOTMER	10	6	60.000
All	All Categories, All Parameters	266	148	55.639
All	CJ-4 - All Parameters	266	148	55.639
All	CJ-4, STUCKRNG	266	258	96.992
All	CJ-4, TOTMER	266	149	56.015




Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

C13

Status of Reported Tests






Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

C13

Candidate Precision as Represented by Pooled S





Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

C13

Candidate Precision as Represented by Pooled S

