

**C13 - Report Period: OCT 2019**  
**Status Of Reported Tests**

1

STATUS	COUNT	PERCENT
Valid	3	100
Total Reported Tests	3	100

**C13 - Report Period: OCT 2019**  
**Replicate Database Report**

Components of Replicate Database	OCT 2019	All Periods
Number of Tests	.	4
Formulations	.	2
Labs	.	2
Stands	.	3

**C13 - Report Period: OCT 2019**  
**by-Formulation Pooled s and Reproducibility of Replicate Data**

Report Period	Parameter	Degrees of Freedom	Pooled s	R
All	TOTMER	2	182.615	511.323

**C13 - Report Period: OCT 2019**  
**Pass/Fail**

Report Period	API Category	N	Number Passed	% Passed
OCT 2019	All Categories, All Parameters	3	2	66.667
OCT 2019	CJ-4 - All Parameters	3	2	66.667
OCT 2019	CJ-4, STUCKRNG	3	3	100.000
OCT 2019	CJ-4, TOTMER	3	2	66.667
All	All Categories, All Parameters	308	176	57.143
All	CJ-4 - All Parameters	308	176	57.143
All	CJ-4, STUCKRNG	308	300	97.403
All	CJ-4, TOTMER	308	177	57.468




# Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

## C13

### Status of Reported Tests







# Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

## C13

Candidate Precision as Represented by Pooled S

190  
180  
170  
160  
150  
140  
130  
120  
110  
100  
90  
80  
70  
60  
50  
40  
30  
20  
10  
0

All

OCT 2019

APR 2019

OCT 2018

APR 2018

Report  
Period

■ TOTMER