

**Status Of Reported Tests**

STATUS	COUNT	PERCENT
Aborted	1	10
Cancelled	2	20
Valid	7	70
Total Reported Tests	10	100

**Itemized Lost Test Report**

Obs	Date	TESTKEY	REASON
1	20191001	ACC-26567	No Explanation Available
2	20191105	ACC-26859	No Explanation Available
3	20200103	ACC-27454	No Explanation Available

**Replicate Database Report**

Components of Replicate Database	APR 2020	All Periods
Number of Tests	.	4
Formulations	.	2
Labs	.	2
Stands	.	3

**by-Formulation Pooled s and Reproducibility of Replicate Data**


Report Period	Parameter	Degrees of Freedom	Pooled s	R
All	TOTMER	2	182.615	511.323

**Pass/Fail**  
 TOTMER >=1000 STUCKRNG >='NO'

Report Period	API Category	N	Number Passed	% Passed
APR 2020	All Categories, All Parameters	7	5	71.429
APR 2020	CJ-4 - All Parameters	7	5	71.429
APR 2020	CJ-4, STUCKRNG	7	7	100.000
APR 2020	CJ-4, TOTMER	7	5	71.429
All	All Categories, All Parameters	318	183	57.547
All	CJ-4 - All Parameters	318	183	57.547
All	CJ-4, STUCKRNG	318	310	97.484
All	CJ-4, TOTMER	318	184	57.862

## C13

### Status of Reported Tests







# Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

## C13

Candidate Precision as Represented by Pooled S

190  
180  
170  
160  
150  
140  
130  
120  
110  
100  
90  
80  
70  
60  
50  
40  
30  
20  
10  
0

All

APR 2020

OCT 2019

APR 2019

OCT 2018

Report  
Period

■ TOTMER