

Status Of Reported Tests

STATUS	COUNT	PERCENT
Valid	3	100
Total Reported Tests	3	100

Replicate Database Report

Components of Replicate Database	OCT 2020	All Periods
Number of Tests	.	4
Formulations	.	2
Labs	.	2
Stands	.	3

by-Formulation Pooled s and Reproducibility of Replicate Data

Report Period	Parameter	Degrees of Freedom	Pooled s	R
All	TOTMER	2	182.615	511.323

C13 - Report Period: OCT 2020**4**

Pass/Fail
TOTMER >=1000 STUCKRNG >='NO'

Report Period	API Category	N	Number Passed	% Passed
OCT 2020	All Categories, All Parameters	3	3	100.000
OCT 2020	CJ-4 - All Parameters	3	3	100.000
OCT 2020	CJ-4, STUCKRNG	3	3	100.000
OCT 2020	CJ-4, TOTMER	3	3	100.000
All	All Categories, All Parameters	324	189	58.333
All	CJ-4 - All Parameters	324	189	58.333
All	CJ-4, STUCKRNG	324	316	97.531
All	CJ-4, TOTMER	324	190	58.642




Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

C13

Status of Reported Tests





Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

C13

Candidate Precision as Represented by Pooled S

190
180
170
160
150
140
130
120
110
100
90
80
70
60
50
40
30
20
10
0

All

OCT 2020

APR 2020

OCT 2019

APR 2019

Report
Period

TOTMER