

COAT - Report Period: OCT 2017
Status Of Reported Tests

STATUS	COUNT	PERCENT
Valid	17	100
Total Reported Tests	17	100

COAT - Report Period: OCT 2017
Replicate Database Report

Components of Replicate Database	OCT 2017	All Periods
Number of Tests	.	2
Formulations	.	1
Labs	.	1
Stands	.	1

COAT - Report Period: OCT 2017
by-Formulation Pooled s and Reproducibility of Replicate Data

Report Period	Parameter	Degrees of Freedom	Pooled s	R
All	AAVE4050	1	0.62225	1.74231
All	AAEV4050 (Without SA)	1	0.62225	1.74231

COAT - Report Period: OCT 2017
Pass/Fail

Report Period	API Category	N	Number Passed	% Passed
OCT 2017	All Categories, All Parameters	17	12	70.5882
OCT 2017	CK - All Parameters	17	12	70.5882
OCT 2017	CK, AAEV4050 (Without SA)	17	13	76.4706
OCT 2017	CK, AAVE4050	17	12	70.5882
All	All Categories, All Parameters	116	100	86.2069
All	CK - All Parameters	116	100	86.2069
All	CK, AAEV4050 (Without SA)	116	99	85.3448
All	CK, AAVE4050	116	100	86.2069




Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

COAT
Status of Reported Tests






Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

COAT

Candidate Precision as Represented by Pooled S





Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

COAT

Candidate Precision as Represented by Pooled S

