

COAT - Report Period: OCT 2019
Status Of Reported Tests

1

STATUS	COUNT	PERCENT
Valid	16	100
Total Reported Tests	16	100

COAT - Report Period: OCT 2019
Replicate Database Report

Components of Replicate Database	OCT 2019	All Periods
Number of Tests	1	4
Formulations	1	2
Labs	1	1
Stands	1	1

COAT - Report Period: OCT 2019
by-Formulation Pooled s and Reproducibility of Replicate Data

Report Period	Parameter	Degrees of Freedom	Pooled s	R
OCT 2019	AAVE4050	0	0.00000	0.00000
OCT 2019	AAEV4050 (Without SA)	0	0.00000	0.00000
All	AAVE4050	2	0.72801	2.03843
All	AAEV4050 (Without SA)	2	0.55301	1.54844

COAT - Report Period: OCT 2019
Pass/Fail

Report Period	API Category	N	Number Passed	% Passed
OCT 2019	All Categories, All Parameters	16	16	100.000
OCT 2019	CK - All Parameters	16	16	100.000
OCT 2019	CK, AAEV4050 (Without SA)	16	15	93.750
OCT 2019	CK, AAVE4050	16	16	100.000
All	All Categories, All Parameters	136	119	87.500
All	CK - All Parameters	136	119	87.500
All	CK, AAEV4050 (Without SA)	136	117	86.029
All	CK, AAVE4050	136	119	87.500




Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

COAT

Status of Reported Tests






Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

COAT

Candidate Precision as Represented by Pooled S



Report
Period