

**Status Of Reported Tests**

STATUS	COUNT	PERCENT
Aborted	1	8.333
Valid	11	91.667
Total Reported Tests	12	100.000

**Itemized Lost Test Report**

Obs	Date	TESTKEY	REASON
1	20191104	ACC-26861	No Explanation Available

**Replicate Database Report**

Components of Replicate Database	APR 2020	All Periods
Number of Tests	.	4
Formulations	.	2
Labs	.	1
Stands	.	1

**by-Formulation Pooled s and Reproducibility of Replicate Data**

Report Period	Parameter	Degrees of Freedom	Pooled s	R
All	AAVE4050	2	0.72801	2.03843
All	AAEV4050 (Without SA)	2	0.55301	1.54844

**Pass/Fail**  
**AAVE4050 <=11.8**

Report Period	API Category	N	Number Passed	% Passed
APR 2020	All Categories, All Parameters	11	11	100.000
APR 2020	CK - All Parameters	11	11	100.000
APR 2020	CK, AAEV4050 (Without SA)	11	9	81.818
APR 2020	CK, AAVE4050	11	11	100.000
All	All Categories, All Parameters	149	131	87.919
All	CK - All Parameters	149	131	87.919
All	CK, AAEV4050 (Without SA)	149	126	84.564
All	CK, AAVE4050	149	131	87.919




# Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

## COAT

### Status of Reported Tests





# Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

## COAT

Candidate Precision as Represented by Pooled S

