

Status Of Reported Tests

STATUS	COUNT	PERCENT
Aborted	1	7.692
Valid	12	92.308
Total Reported Tests	13	100.000

Itemized Lost Test Report

Obs	Date	TESTKEY	REASON
1	20230126	ACC-33295	Test Aborted Due To Computer Failure.

Replicate Database Report

Components of Replicate Database	APR 2023	All Periods
Number of Tests	.	4
Formulations	.	2
Labs	.	1
Stands	.	1

by-Formulation Pooled s and Reproducibility of Replicate Data

Report Period	Parameter	Degrees of Freedom	Pooled s	R
All	AAVE4050	2	0.71063	1.98977
All	AAEV4050 (Without SA)	2	0.55301	1.54844

Pass/Fail
AAVE4050 <=11.8

Report Period	API Category	N	Number Passed	% Passed
APR 2023	All Categories, All Parameters	12	10	83.3333
APR 2023	CK - All Parameters	12	10	83.3333
APR 2023	CK, AAEV4050 (Without SA)	12	6	50.0000
APR 2023	CK, AAVE4050	12	10	83.3333
All	All Categories, All Parameters	208	185	88.9423
All	CK - All Parameters	208	185	88.9423
All	CK, AAEV4050 (Without SA)	208	174	83.6538
All	CK, AAVE4050	208	185	88.9423




Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

COAT

Status of Reported Tests





Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

COAT

Candidate Precision as Represented by Pooled S

