

ACC Monitoring Agency

203 Armstrong Drive, Freeport, PA 16229, USA


<https://www.acc-ma.org>
412-365-1000

Services provided by:



A Program of ASTM International

ISB Operationally Valid Candidate Data
Parameter: ACSW, Average Camshaft Wear (units=micrometers)
Where validity is 'VI' or 'VQ' and SAE vis grade is 15W-40



⊕⊕⊕ with SA
⊕⊕⊕ without SA

ACC Monitoring Agency

203 Armstrong Drive, Freeport, PA 16229, USA

<https://www.acc-ma.org>
412-365-1000

Services provided by:




A Program of ASTM International

ISB Operationally Valid Candidate Data

Parameter: ATWL, Average Tappet Mass Loss (units=mg)

Where validity is 'VI' or 'VQ' and SAE vis grade is 15W-40



⊕⊕⊕ with SA
⊕⊕⊕ without SA

ACC Monitoring Agency

203 Armstrong Drive, Freeport, PA 16229, USA


<https://www.acc-ma.org>
412-365-1000

Services provided by:



A Program of ASTM International

ISB Operationally Valid Candidate Data
Parameter: ACWL, Average Crosshead Mass Loss (units=mg)
Where validity is 'VI' or 'VQ' and SAE vis grade is 15W-40



⊕⊕⊕⊕ with SA
⊕⊕⊕⊕ without SA