

ISB - Report Period: OCT 2012
Status Of Reported Tests

STATUS	COUNT	PERCENT
Aborted	1	12.5
Valid	7	87.5
Total Reported Tests	8	100.0

ISB - Report Period: OCT 2012
Itemized Lost Test Report

Obs	Date	TESTKEY	REASON
1	20120925	ACC-10803	Test Terminated At Test Hour 237 Due To Piston Scuffing.

ISB - Report Period: OCT 2012
Replicate Database Report

Components of Replicate Database	OCT 2012	All Periods
Number of Tests	.	14
Formulations	.	6
Labs	.	3
Stands	.	5

ISB - Report Period: OCT 2012
by-Formulation Pooled s and Reproducibility of Replicate Data

Report Period	Parameter	Degrees of Freedom	Pooled s	R
All	ACSW	8	4.3052	12.0545
All	ATWL	8	15.0386	42.1081
All	ACSW (Without SA)	8	4.3052	12.0545
All	ATWL (Without SA)	8	15.4454	43.2471

ISB - Report Period: OCT 2012
Pass/Fail

Report Period	API Category	N	Number Passed	% Passed
OCT 2012	All Categories, All Parameters	7	5	71.429
OCT 2012	CJ-4 - All Parameters	7	5	71.429
OCT 2012	CJ-4, ACSW	7	5	71.429
OCT 2012	CJ-4, ACSW (Without SA)	7	5	71.429
OCT 2012	CJ-4, ATWL	7	7	100.000
OCT 2012	CJ-4, ATWL (Without SA)	7	5	71.429
All	All Categories, All Parameters	189	104	55.026
All	CJ-4 - All Parameters	189	104	55.026
All	CJ-4, ACSW	189	129	68.254
All	CJ-4, ACSW (Without SA)	189	120	63.492
All	CJ-4, ATWL	189	120	63.492
All	CJ-4, ATWL (Without SA)	189	103	54.497




Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

ISB

Status of Reported Tests






Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

ISB

Candidate Precision as Represented by Pooled S





Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

ISB

Candidate Precision as Represented by Pooled S

