

ISB - Report Period: APR 2013
Status Of Reported Tests

STATUS	COUNT	PERCENT
Invalid	1	6.25
Valid	15	93.75
Total Reported Tests	16	100.00

ISB - Report Period: APR 2013
Itemized Lost Test Report

Obs	Date	TESTKEY	REASON
1	20130321	ACC-11858	Lab Declared Test Invalid Due To Intake Air Restriction Running Out Of Spec All Of Stage B.

ISB - Report Period: APR 2013
Replicate Database Report

Components of Replicate Database	APR 2013	All Periods
Number of Tests	.	14
Formulations	.	6
Labs	.	3
Stands	.	5

ISB - Report Period: APR 2013
by-Formulation Pooled s and Reproducibility of Replicate Data

Report Period	Parameter	Degrees of Freedom	Pooled s	R
All	ACSW	8	4.3052	12.0545
All	ATWL	8	15.0386	42.1081
All	ACSW (Without SA)	8	4.3052	12.0545
All	ATWL (Without SA)	8	15.4454	43.2471

ISB - Report Period: APR 2013
Pass/Fail

Report Period	API Category	N	Number Passed	% Passed
APR 2013	All Categories, All Parameters	15	8	53.3333
APR 2013	CJ-4 - All Parameters	15	8	53.3333
APR 2013	CJ-4, ACSW	15	10	66.6667
APR 2013	CJ-4, ACSW (Without SA)	15	6	40.0000
APR 2013	CJ-4, ATWL	15	11	73.3333
APR 2013	CJ-4, ATWL (Without SA)	15	7	46.6667
All	All Categories, All Parameters	204	112	54.9020
All	CJ-4 - All Parameters	204	112	54.9020
All	CJ-4, ACSW	204	139	68.1373
All	CJ-4, ACSW (Without SA)	204	126	61.7647
All	CJ-4, ATWL	204	131	64.2157
All	CJ-4, ATWL (Without SA)	204	110	53.9216




Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

ISB

Status of Reported Tests






Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

ISB

Candidate Precision as Represented by Pooled S





Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

ISB

Candidate Precision as Represented by Pooled S

