

ISB - Report Period: APR 2015
Status Of Reported Tests

STATUS	COUNT	PERCENT
Aborted	1	2.083
Valid	47	97.917
Total Reported Tests	48	100.000

ISB - Report Period: APR 2015
Itemized Lost Test Report

Obs	Date	TESTKEY	REASON
1	20141110	ACC-14383	Test Terminated At Test Hour 123 Due To Missing The Soot Window Specified By The Standard At 100 Hours

ISB - Report Period: APR 2015
Replicate Database Report

Components of Replicate Database	APR 2015	All Periods
Number of Tests	2	17
Formulations	1	7
Labs	1	3
Stands	2	7

ISB - Report Period: APR 2015
by-Formulation Pooled s and Reproducibility of Replicate Data

Report Period	Parameter	Degrees of Freedom	Pooled s	R
APR 2015	ACSW	1	8.4146	23.5608
APR 2015	ATWL	1	0.0707	0.1980
APR 2015	ACSW (Without SA)	1	8.4146	23.5608
APR 2015	ATWL (Without SA)	1	0.1414	0.3960
All	ACSW	10	8.9951	25.1864
All	ATWL	10	13.6351	38.1784
All	ACSW (Without SA)	10	8.9951	25.1864
All	ATWL (Without SA)	10	14.1637	39.6584

ISB - Report Period: APR 2015
Pass/Fail

Report Period	API Category	N	Number Passed	% Passed
APR 2015	All Categories, All Parameters	47	31	65.9574
APR 2015	CJ-4 - All Parameters	47	31	65.9574
APR 2015	CJ-4, ACSW	47	31	65.9574
APR 2015	CJ-4, ACSW (Without SA)	47	26	55.3191
APR 2015	CJ-4, ATWL	47	46	97.8723
APR 2015	CJ-4, ATWL (Without SA)	47	37	78.7234
All	All Categories, All Parameters	300	175	58.3333
All	CJ-4 - All Parameters	300	175	58.3333
All	CJ-4, ACSW	300	203	67.6667
All	CJ-4, ACSW (Without SA)	300	175	58.3333
All	CJ-4, ATWL	300	224	74.6667
All	CJ-4, ATWL (Without SA)	300	180	60.0000




Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

ISB
Status of Reported Tests






Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

ISB

Candidate Precision as Represented by Pooled S



Report
Period



Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

ISB

Candidate Precision as Represented by Pooled S

