

Status Of Reported Tests

STATUS	COUNT	PERCENT
Valid	2	100
Total Reported Tests	2	100

Replicate Database Report

Components of Replicate Database	OCT 2020	All Periods
Number of Tests	.	35
Formulations	.	15
Labs	.	3
Stands	.	13

by-Formulation Pooled s and Reproducibility of Replicate Data

Report Period	Parameter	Degrees of Freedom	Pooled s	R
All	ACSW	20	9.4586	26.4840
All	ATWL	20	16.1133	45.1173
All	ACSW (Without SA)	20	9.4095	26.3465
All	ATWL (Without SA)	20	19.5162	54.6455

Pass/Fail
ACSW <=55 ATWL <=100

Report Period	API Category	N	Number Passed	% Passed
OCT 2020	All Categories, All Parameters	2	2	100.000
OCT 2020	CJ-4 - All Parameters	2	2	100.000
OCT 2020	CJ-4, ACSW	2	2	100.000
OCT 2020	CJ-4, ACSW (Without SA)	2	1	50.000
OCT 2020	CJ-4, ATWL	2	2	100.000
OCT 2020	CJ-4, ATWL (Without SA)	2	1	50.000
All	All Categories, All Parameters	466	254	54.506
All	CJ-4 - All Parameters	466	254	54.506
All	CJ-4, ACSW	466	312	66.953
All	CJ-4, ACSW (Without SA)	466	241	51.717
All	CJ-4, ATWL	466	330	70.815
All	CJ-4, ATWL (Without SA)	466	275	59.013




Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

ISB

Status of Reported Tests





Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

ISB

Candidate Precision as Represented by Pooled S

