

Status Of Reported Tests

STATUS	COUNT	PERCENT
Aborted	2	20
Invalid	1	10
Valid	7	70
Total Reported Tests	10	100

Itemized Lost Test Report

Obs	Date	TESTKEY	REASON
1	20201120	ACC-29235	No Explanation Available
2	20210209	ACC-29704	No Explanation Available
3	20210209	ACC-29705	No Explanation Available

Replicate Database Report

Components of Replicate Database	APR 2021	All Periods
Number of Tests	1	37
Formulations	1	16
Labs	1	3
Stands	1	13

by-Formulation Pooled s and Reproducibility of Replicate Data

Report Period	Parameter	Degrees of Freedom	Pooled s	R
APR 2021	ACSW	0	0.0000	0.0000
APR 2021	ATWL	0	0.0000	0.0000
APR 2021	ACSW (Without SA)	0	0.0000	0.0000
APR 2021	ATWL (Without SA)	0	0.0000	0.0000
All	ACSW	21	9.2325	25.8509
All	ATWL	21	15.7283	44.0393
All	ACSW (Without SA)	21	9.1986	25.7560
All	ATWL (Without SA)	21	19.0648	53.3814

Pass/Fail
ATWL <=100

Report Period	API Category	N	Number Passed	% Passed
APR 2021	All Categories, All Parameters	7	2	28.5714
APR 2021	CJ-4 - All Parameters	7	2	28.5714
APR 2021	CJ-4, ACSW	7	2	28.5714
APR 2021	CJ-4, ACSW (Without SA)	7	2	28.5714
APR 2021	CJ-4, ATWL	7	5	71.4286
APR 2021	CJ-4, ATWL (Without SA)	7	3	42.8571
All	All Categories, All Parameters	478	258	53.9749
All	CJ-4 - All Parameters	478	258	53.9749
All	CJ-4, ACSW	478	316	66.1088
All	CJ-4, ACSW (Without SA)	478	243	50.8368
All	CJ-4, ATWL	478	340	71.1297
All	CJ-4, ATWL (Without SA)	478	283	59.2050




Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

ISB

Status of Reported Tests





Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

ISB

Candidate Precision as Represented by Pooled S

