

Status Of Reported Tests

STATUS	COUNT	PERCENT
Aborted	2	16.667
Invalid	1	8.333
Valid	9	75.000
Total Reported Tests	12	100.000

Itemized Lost Test Report

Obs	Date	TESTKEY	REASON
1	20201120	ACC-29235	No Explanation Available
2	20210209	ACC-29704	No Explanation Available
3	20210209	ACC-29705	No Explanation Available

Replicate Database Report

Components of Replicate Database	APR 2021	All Periods
Number of Tests	1	37
Formulations	1	16
Labs	1	3
Stands	1	13

by-Formulation Pooled s and Reproducibility of Replicate Data

Report Period	Parameter	Degrees of Freedom	Pooled s	R
APR 2021	ACSW	0	0.0000	0.0000
APR 2021	ATWL	0	0.0000	0.0000
APR 2021	ACSW (Without SA)	0	0.0000	0.0000
APR 2021	ATWL (Without SA)	0	0.0000	0.0000
All	ACSW	21	9.2325	25.8509
All	ATWL	21	15.7283	44.0393
All	ACSW (Without SA)	21	9.1986	25.7560
All	ATWL (Without SA)	21	19.0648	53.3814

Pass/Fail
ACSW <=55 ATWL <=100

Report Period	API Category	N	Number Passed	% Passed
APR 2021	All Categories, All Parameters	9	4	44.4444
APR 2021	CJ-4 - All Parameters	9	4	44.4444
APR 2021	CJ-4, ACSW	9	4	44.4444
APR 2021	CJ-4, ACSW (Without SA)	9	3	33.3333
APR 2021	CJ-4, ATWL	9	7	77.7778
APR 2021	CJ-4, ATWL (Without SA)	9	4	44.4444
All	All Categories, All Parameters	480	260	54.1667
All	CJ-4 - All Parameters	480	260	54.1667
All	CJ-4, ACSW	480	318	66.2500
All	CJ-4, ACSW (Without SA)	480	244	50.8333
All	CJ-4, ATWL	480	342	71.2500
All	CJ-4, ATWL (Without SA)	480	284	59.1667




Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

ISB

Status of Reported Tests





Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

ISB

Candidate Precision as Represented by Pooled S

