

**ISM - Report Period: APR 2019**  
**Status Of Reported Tests**

1

STATUS	COUNT	PERCENT
Aborted	1	7.692
Valid	12	92.308
Total Reported Tests	13	100.000

**ISM - Report Period: APR 2019**  
**Itemized Lost Test Report**

2

Obs	Date	TESTKEY	REASON
1	20181211	ACC-24381	Test Terminated At Test Hour 73. Fuel Dilution Occurred With Incorrect Reinstalling Injector No.4

**ISM - Report Period: APR 2019**  
**Replicate Database Report**

Components of Replicate Database	APR 2019	All Periods
Number of Tests	.	29
Formulations	.	14
Labs	.	5
Stands	.	9

**ISM - Report Period: APR 2019**  
**by-Formulation Pooled s and Reproducibility of Replicate Data**

Report Period	Parameter	Degrees of Freedom	Pooled s	R
All	ISMMER	15	889.581	2490.83
All	ARWLTFNL	15	11.633	32.57

**ISM - Report Period: APR 2019**  
**Pass/Fail**

Report Period	API Category	N	Number Passed	% Passed
APR 2019	All Categories, All Parameters	12	6	50.000
APR 2019	CJ-4 - All Parameters	12	6	50.000
APR 2019	CJ-4, ARWLTFNL	12	12	100.000
APR 2019	CJ-4, ISMMER	12	6	50.000
All	All Categories, All Parameters	637	270	42.386
All	CJ-4 - All Parameters	637	270	42.386
All	CJ-4, ARWLTFNL	637	618	97.017
All	CJ-4, ISMMER	637	273	42.857




# Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

## ISM

### Status of Reported Tests



Thursday, May 23, 2019



# Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

## ISM

Candidate Precision as Represented by Pooled S

