M11 - Report Period: APR 2003
Status Of Reported Tests

STATUS	COUNT	PERCENT
Valid	10	100
Total Reported Tests	10	100

Components of Replicate Database	APR 2003	All Periods
Number of Tests	.	58
Formulations	.	27
Labs	.	5
Stands	.	13

M11 - Report Period: APR 2003
by-Formulation Pooled s and Reproducibility of Replicate Data

Report Period	Parameter	Degrees of Freedom	Pooled s	R
All	ACWL	31	2.2333	6.253
All	OILDP	31	51.7091	144.785
All	ASRT	31	0.2292	0.642
All	ACWL (Without SA)	31	2.1969	6.151
All	OILDP (Without SA)	31	65.1441	182.403
All	ASRT (Without SA)	31	0.2011	0.563

M11 - Report Period: APR 2003
Pass/Fail

Report Period	API Category	N	Number Passed	% Passed
APR 2003	All Categories, All Parameters	10	10	100
All	All Categories, All Parameters	451	451	100

American Chemistry Council

Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206 https://acc-ma.org

M11

Status of Reported Tests



Thursday, August 6, 2009

American Chemistry Council
Monitoring Agency
6555 Penn Avenue, Pittsburgh, PA 15206
https://acc-ma.org

M11

Candidate Precision as Represented by Pooled S



Thursday, August 6, 2009

American Chemistry Council
Monitoring Agency
6555 Penn Avenue, Pittsburgh, PA 15206
https://acc-ma.org

M11

Candidate Precision as Represented by Pooled S



Thursday, August 6, 2009