

Status Of Reported Tests

STATUS	COUNT	PERCENT
Aborted	2	9.524
Valid	19	90.476
Total Reported Tests	21	100.000

Itemized Lost Test Report

Obs	Date	TESTKEY	REASON
1	20211214	ACC-31445	Test Aborted Due To Fuel Injector Failure.
2	20220318	ACC-31851	Test Aborted Due To High Viscosity Increase.

Replicate Database Report

Components of Replicate Database	APR 2022	All Periods
Number of Tests	.	14
Formulations	.	7
Labs	.	3
Stands	.	7

Pass/Fail
SOOT4 >=3.5 MRV <=25000

Report Period	API Category	N	Number Passed	% Passed
APR 2022	All Categories, All Parameters	19	2	10.526
APR 2022	CJ-4 - All Parameters	19	2	10.526
APR 2022	CJ-4, MRV	19	19	100.000
APR 2022	CJ-4, MRV (Without SA)	19	19	100.000
APR 2022	CJ-4, SOOT	19	3	15.789
APR 2022	CJ-4, SOOT (Without SA)	19	3	15.789
APR 2022	CJ-4, SOOT4	19	18	94.737
APR 2022	CJ-4, SOOT4 (Without SA)	19	17	89.474
APR 2022	CJ-4, SOOT5	19	2	10.526
APR 2022	CJ-4, SOOT5 (Without SA)	19	1	5.263
All	All Categories, All Parameters	589	109	18.506
All	CJ-4 - All Parameters	589	109	18.506
All	CJ-4, MRV	589	576	97.793
All	CJ-4, MRV (Without SA)	589	577	97.963
All	CJ-4, SOOT	589	207	35.144
All	CJ-4, SOOT (Without SA)	589	271	46.010
All	CJ-4, SOOT4	589	519	88.115
All	CJ-4, SOOT4 (Without SA)	589	511	86.757
All	CJ-4, SOOT5	589	121	20.543
All	CJ-4, SOOT5 (Without SA)	589	109	18.506



Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

T11

Status of Reported Tests



