

T12 (CH-4) - Report Period: OCT 2010
Status Of Reported Tests

STATUS	COUNT	PERCENT
Aborted	1	5.556
Cancelled	1	5.556
Valid	16	88.889
Total Reported Tests	18	100.000

T12 (CH-4) - Report Period: OCT 2010
Itemized Lost Test Report

Obs	Date	TESTKEY	REASON
1	20100826	ACC-6109	Test Was Aborted At 171 Hours Due To Numerous Shutdowns And Operational Issues.
2	20100930	ACC-6350	Test Was Terminated At 237 Hours Per Client Request.

T12 (CH-4) - Report Period: OCT 2010
Replicate Database Report

Components of Replicate Database	OCT 2010	All Periods
Number of Tests	.	6
Formulations	.	3
Labs	.	3
Stands	.	5

T12 (CH-4) - Report Period: OCT 2010
by-Formulation Pooled s and Reproducibility of Replicate Data

Report Period	Parameter	Degrees of Freedom	Pooled s	R
All	DPBFNL	3	1.2380	3.466
All	CLWFNL	3	3.5414	9.916
All	ATRWLFNL	3	40.0437	112.122

T12 (CH-4) - Report Period: OCT 2010
Pass/Fail

Report Period	API Category	N	Number Passed	% Passed
OCT 2010	All Categories, All Parameters	16	4	25.000
OCT 2010	CH-4 - All Parameters	16	4	25.000
OCT 2010	CH-4, ATRWLFNL	16	5	31.250
OCT 2010	CH-4, CLWFNL	16	16	100.000
OCT 2010	CH-4, DPBFNL	16	10	62.500
All	All Categories, All Parameters	257	87	33.852
All	CH-4 - All Parameters	257	87	33.852
All	CH-4, ATRWLFNL	257	140	54.475
All	CH-4, CLWFNL	257	257	100.000
All	CH-4, DPBFNL	257	143	55.642




Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

T12 (CH₄)
Status of Reported Tests






Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

T12 (CH₄)

Candidate Precision as Represented by Pooled S



Report
Period




Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

T12 (CH₄)

Candidate Precision as Represented by Pooled S



Report
Period