

**T12 (CH-4) - Report Period: APR 2019**  
**Status Of Reported Tests**

1

STATUS	COUNT	PERCENT
Aborted	1	7.692
Valid	12	92.308
Total Reported Tests	13	100.000

**T12 (CH-4) - Report Period: APR 2019**  
**Itemized Lost Test Report**

Obs	Date	TESTKEY	REASON
1	20190204	ACC-24710	Test Terminated At Test Hour 195 Due To Spun Bearing.

**T12 (CH-4) - Report Period: APR 2019**  
**Replicate Database Report**

Components of Replicate Database	APR 2019	All Periods
Number of Tests	.	10
Formulations	.	5
Labs	.	4
Stands	.	7

**T12 (CH-4) - Report Period: APR 2019**  
**by-Formulation Pooled s and Reproducibility of Replicate Data**

Report Period	Parameter	Degrees of Freedom	Pooled s	R
All	DPBFNL	5	0.9713	2.7197
All	CLWFNL	5	3.2450	9.0860
All	ATRWLFNL	5	31.6954	88.7472

**T12 (CH-4) - Report Period: APR 2019**  
**Pass/Fail**

Report Period	API Category	N	Number Passed	% Passed
APR 2019	All Categories, All Parameters	12	1	8.333
APR 2019	CH-4 - All Parameters	12	1	8.333
APR 2019	CH-4, ATRWLFNL	12	1	8.333
APR 2019	CH-4, CLWLFNL	12	12	100.000
APR 2019	CH-4, DPBFNL	12	7	58.333
All	All Categories, All Parameters	726	215	29.614
All	CH-4 - All Parameters	726	215	29.614
All	CH-4, ATRWLFNL	726	379	52.204
All	CH-4, CLWLFNL	726	726	100.000
All	CH-4, DPBFNL	726	393	54.132




# Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

## T12 (CH<sub>4</sub>) Status of Reported Tests







# Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

## T12 (CH-4)

Candidate Precision as Represented by Pooled S

