

T12 - Report Period: OCT 2019
Status Of Reported Tests

1

STATUS	COUNT	PERCENT
Valid	4	100
Total Reported Tests	4	100

T12 - Report Period: OCT 2019
Replicate Database Report

Components of Replicate Database	OCT 2019	All Periods
Number of Tests	.	10
Formulations	.	5
Labs	.	4
Stands	.	7

T12 - Report Period: OCT 2019
by-Formulation Pooled s and Reproducibility of Replicate Data

Report Period	Parameter	Degrees of Freedom	Pooled s	R
All	MACKMER	5	1348.38	3775.46

T12 - Report Period: OCT 2019
Pass/Fail

4

Report Period	API Category	N	Number Passed	% Passed
OCT 2019	All Categories, All Parameters	4	2	50.0000
OCT 2019	CJ-4 - All Parameters	4	2	50.0000
OCT 2019	CJ-4, MACKMER	4	2	50.0000
All	All Categories, All Parameters	730	295	40.4110
All	CJ-4 - All Parameters	730	295	40.4110
All	CJ-4, MACKMER	730	295	40.4110




Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

T12

Status of Reported Tests





Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

T12

Candidate Precision as Represented by Pooled S

1400
1300
1200
1100
1000
900
800
700
600
500
400
300
200
100
0

All

OCT 2019

APR 2019

OCT 2018

APR 2018

Report
Period

■ MACKMER