

Status Of Reported Tests

| STATUS | COUNT | PERCENT |
|----------------------|-------|---------|
| Aborted | 1 | 12.5 |
| Valid | 7 | 87.5 |
| Total Reported Tests | 8 | 100.0 |

Itemized Lost Test Report

| Obs | Date | TESTKEY | REASON |
|-----|----------|-----------|--------------------------|
| 1 | 20191031 | ACC-26765 | No Explanation Available |

Replicate Database Report

| Components of Replicate Database | APR 2020 | All Periods |
|----------------------------------|----------|-------------|
| Number of Tests | . | 10 |
| Formulations | . | 5 |
| Labs | . | 4 |
| Stands | . | 7 |

by-Formulation Pooled s and Reproducibility of Replicate Data

| Report Period | Parameter | Degrees of Freedom | Pooled s | R |
|---------------|-----------|--------------------|----------|---------|
| All | MACKMER | 5 | 1348.38 | 3775.46 |

Pass/Fail
MACKMER >=1000

| Report Period | API Category | N | Number Passed | % Passed |
|---------------|--------------------------------|-----|---------------|----------|
| APR 2020 | All Categories, All Parameters | 7 | 4 | 57.1429 |
| APR 2020 | CJ-4 - All Parameters | 7 | 4 | 57.1429 |
| APR 2020 | CJ-4, MACKMER | 7 | 4 | 57.1429 |
| All | All Categories, All Parameters | 739 | 299 | 40.4601 |
| All | CJ-4 - All Parameters | 739 | 299 | 40.4601 |
| All | CJ-4, MACKMER | 739 | 299 | 40.4601 |




Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

T12

Status of Reported Tests





Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

T12

Candidate Precision as Represented by Pooled S

