

Status Of Reported Tests

STATUS	COUNT	PERCENT
Aborted	1	12.5
Valid	7	87.5
Total Reported Tests	8	100.0

Itemized Lost Test Report

Obs	Date	TESTKEY	REASON
1	20191031	ACC-26765	No Explanation Available

Replicate Database Report

Components of Replicate Database	APR 2020	All Periods
Number of Tests	.	10
Formulations	.	5
Labs	.	4
Stands	.	7

by-Formulation Pooled s and Reproducibility of Replicate Data

Report Period	Parameter	Degrees of Freedom	Pooled s	R
All	DPBFNL	5	0.9713	2.7197
All	CLWFNL	5	3.2450	9.0860
All	ATRWLFNL	5	31.6954	88.7472

T12 (CH-4) - Report Period: APR 2020

5

Pass/Fail
DPBFNL <=30.0 CLWFNL <=120

Report Period	API Category	N	Number Passed	% Passed
APR 2020	All Categories, All Parameters	7	1	14.286
APR 2020	CH-4 - All Parameters	7	1	14.286
APR 2020	CH-4, ATRWLFNL	7	2	28.571
APR 2020	CH-4, CLWFNL	7	7	100.000
APR 2020	CH-4, DPBFNL	7	3	42.857
All	All Categories, All Parameters	739	218	29.499
All	CH-4 - All Parameters	739	218	29.499
All	CH-4, ATRWLFNL	739	384	51.962
All	CH-4, CLWFNL	739	739	100.000
All	CH-4, DPBFNL	739	398	53.857




Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

T12 (CH-4)

Status of Reported Tests





Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

T12 (CH-4)

Candidate Precision as Represented by Pooled S

