

Status Of Reported Tests

STATUS	COUNT	PERCENT
Aborted	2	28.571
Valid	5	71.429
Total Reported Tests	7	100.000

Itemized Lost Test Report

Obs	Date	TESTKEY	REASON
1	20200818	ACC-28657	No Explanation Available
2	20200824	ACC-28680	Test Terminated Due To Insufficient Oil.

Replicate Database Report

Components of Replicate Database	OCT 2020	All Periods
Number of Tests	.	10
Formulations	.	5
Labs	.	4
Stands	.	7

by-Formulation Pooled s and Reproducibility of Replicate Data

Report Period	Parameter	Degrees of Freedom	Pooled s	R
All	DPBFNL	5	0.9713	2.7197
All	CLWFNL	5	3.2450	9.0860
All	ATRWLFNL	5	31.6954	88.7472

T12 (CH-4) - Report Period: OCT 2020

5

Pass/Fail**DPBFNL <=30.0 CLWFNL <=120 ATRWLFNL <=65**

Report Period	API Category	N	Number Passed	% Passed
OCT 2020	All Categories, All Parameters	5	2	40.000
OCT 2020	CH-4 - All Parameters	5	2	40.000
OCT 2020	CH-4, ATRWLFNL	5	2	40.000
OCT 2020	CH-4, CLWFNL	5	5	100.000
OCT 2020	CH-4, DPBFNL	5	2	40.000
All	All Categories, All Parameters	749	223	29.773
All	CH-4 - All Parameters	749	223	29.773
All	CH-4, ATRWLFNL	749	391	52.203
All	CH-4, CLWFNL	749	749	100.000
All	CH-4, DPBFNL	749	403	53.805




Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

T12 (CH-4)

Status of Reported Tests





Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

T12 (CH-4)

Candidate Precision as Represented by Pooled S

