

Status Of Reported Tests

STATUS	COUNT	PERCENT
Aborted	2	20
Valid	8	80
Total Reported Tests	10	100

Itemized Lost Test Report

Obs	Date	TESTKEY	REASON
1	20201120	ACC-29227	No Explanation Available
2	20210115	ACC-29596	No Explanation Available

Replicate Database Report

Components of Replicate Database	APR 2021	All Periods
Number of Tests	.	10
Formulations	.	5
Labs	.	4
Stands	.	7

by-Formulation Pooled s and Reproducibility of Replicate Data

Report Period	Parameter	Degrees of Freedom	Pooled s	R
All	MACKMER	5	1348.38	3775.46

Pass/Fail

Report Period	API Category	N	Number Passed	% Passed
APR 2021	All Categories, All Parameters	8	4	50.0000
APR 2021	CJ-4 - All Parameters	8	4	50.0000
APR 2021	CJ-4, MACKMER	8	4	50.0000
All	All Categories, All Parameters	762	312	40.9449
All	CJ-4 - All Parameters	762	312	40.9449
All	CJ-4, MACKMER	762	312	40.9449




Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

T12

Status of Reported Tests





Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

T12

Candidate Precision as Represented by Pooled S

1400
1300
1200
1100
1000
900
800
700
600
500
400
300
200
100
0

All

APR 2021

OCT 2020

APR 2020

OCT 2019

Report
Period

■ MACKMER