

Status Of Reported Tests

STATUS	COUNT	PERCENT
Aborted	2	20
Valid	8	80
Total Reported Tests	10	100

Itemized Lost Test Report

Obs	Date	TESTKEY	REASON
1	20201120	ACC-29227	No Explanation Available
2	20210115	ACC-29596	No Explanation Available

Replicate Database Report

Components of Replicate Database	APR 2021	All Periods
Number of Tests	.	10
Formulations	.	5
Labs	.	4
Stands	.	7

by-Formulation Pooled s and Reproducibility of Replicate Data

Report Period	Parameter	Degrees of Freedom	Pooled s	R
All	DPBFNL	5	0.9713	2.7197
All	CLWFNL	5	3.2450	9.0860
All	ATRWLFNL	5	31.6954	88.7472

T12 (CH-4) - Report Period: APR 2021

5

Pass/Fail
CLWFNL <=120

Report Period	API Category	N	Number Passed	% Passed
APR 2021	All Categories, All Parameters	8	0	0.000
APR 2021	CH-4 - All Parameters	8	0	0.000
APR 2021	CH-4, ATRWLFNL	8	0	0.000
APR 2021	CH-4, CLWFNL	8	8	100.000
APR 2021	CH-4, DPBFNL	8	5	62.500
All	All Categories, All Parameters	762	223	29.265
All	CH-4 - All Parameters	762	223	29.265
All	CH-4, ATRWLFNL	762	392	51.444
All	CH-4, CLWFNL	762	762	100.000
All	CH-4, DPBFNL	762	410	53.806




Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

T12 (CH-4)

Status of Reported Tests





Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

T12 (CH-4)

Candidate Precision as Represented by Pooled S

