

Status Of Reported Tests

STATUS	COUNT	PERCENT
Aborted	2	11.765
Valid	15	88.235
Total Reported Tests	17	100.000

Itemized Lost Test Report

Obs	Date	TESTKEY	REASON
1	20220120	ACC-31608	Test Aborted Due To Bearing Failure During Break In.
2	20220126	ACC-31537	Test Aborted Due To Bearing Failure During Break In.

Replicate Database Report

Components of Replicate Database	APR 2022	All Periods
Number of Tests	2	12
Formulations	1	6
Labs	1	4
Stands	2	8

by-Formulation Pooled s and Reproducibility of Replicate Data

Report Period	Parameter	Degrees of Freedom	Pooled s	R
APR 2022	MACKMER	1	2207.59	6181.24
All	MACKMER	6	1525.56	4271.58

Pass/Fail
MACKMER >=1000

Report Period	API Category	N	Number Passed	% Passed
APR 2022	All Categories, All Parameters	15	10	66.6667
APR 2022	CJ-4 - All Parameters	15	10	66.6667
APR 2022	CJ-4, MACKMER	15	10	66.6667
All	All Categories, All Parameters	778	323	41.5167
All	CJ-4 - All Parameters	778	323	41.5167
All	CJ-4, MACKMER	778	323	41.5167




Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

T12

Status of Reported Tests





Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

T12

Candidate Precision as Represented by Pooled S

